















Product Classification:

Single/Four Colours Printed RFID Tags with sticker in roll.

Substrate Material:

Paper, PET, PVC, ABS with a range of adhesives.

Chips Available:

NXP UCODE G2XM/G2XL, UCODE HSL, IMPINJ MONZA, Alien.

Application:

Goods supply chain management, parcel and postal services, logistics, warehouse management system, library etc.

UHF Labels



Model: STC-XY-9610 Antenna Size: 10x45mm Tag Size: 13x48

Model: STC-XY-9640 Antenna Size: 8x95mm Tag Size: 11x98





Model: STC-XY-9634 Antenna Size: 44x46mm Tag Size: 54x56

Model: STC-ALE 9662 Antenna Size: 17x70mm Tag Size: 20x73



















Antenna Size: 45x75mm Tag Size: 54x85.5mm

Model: STC-XY-I002

Antenna Size: 45x45mm Tag Size: 50x50mm

Model: STC-XY-I004

Antenna Size: 14.5x14.5mm Tag Size: 18x18mm

Model: STC-XY-M003

Antenna Size: 22x22mm Tag Size: 25x25mm

Model: STC-XY-M005

Antenna Size: 30x60mm Tag Size: 34x64mm

Model: STC-XY-M007

Antenna Size: 32x32mm Tag Size: 35x35mm

Model: STC-XY-M009

Antenna Size: 25x25mm Tag Size: 30x30mm

Model: STC-XY-N001

Antenna Size: 35x35mm Tag Size: 40x40mm















Model: STC-LJM-001

Antenna Size: 45x76mm Tag Size: 54x85.5mm

Model: STC-XY-I003

Antenna Size: 22x35mm Tag Size: 25x38mm

Model: STC-XY-M002

Antenna Size: 15x52mm Tag Size: 18x56mm

Model: STC-XY-M004

Antenna Size: 22x35mm Tag Size: 25x38mm

Model: STC-XY-M006

Antenna Size: 45x45mm Tag Size: 50x50mm

Model: STC-XY-M008

Antenna Size: 11x26mm Tag Size: 15x30mm

Model: STC-XY-M010

Antenna Size: 22x22mm Tag Size: 25x25mm

Model: STC-XY-N002

Antenna Size: 23x23mm Tag Size: 25x25mm

Product Classification:

Single/Four Colours Printed RFID Tags with sticker in roll.

Substrate Material:

Paper, PET, PVC, ABS with a range of adhesives.

Chips Available:

Mifare 1k, Mifare 4k, Mifare Ultralight 10, Mifare Ultralight C, I CODE SLI/SLI-S/SLI-L, SLIX, NTAG 203, NTAG 213, NTAG 216, GT23SC4439, GT23SC4469, 1k Fudan

Application:

Goods supply chain management, Logistics Management, Library Management, Product Certificate etc.

Wristbands

STC-XY-WD-1000

61mm:53mm:4mm 67mm:59mm:4mm 75mm:63.5mm:4mm

STC-XY-WD-2000

58mm:54mm:18mm:2mm 67mm:63mm:18mm:2mm 75mm:67mm:18mm:2mm

STC-XY-WD-3000

220.05mm:22mm

STC-XY-WD-4000

252mm:16.5mm



Chips Available:

EM4200, EM4305, TK4100, T5557, Mifare S50/S70, Ultralight 10, DESFire4K, ICODEE2, FM11RF08, GT23SC4430.

Silicone Wristband is an irregular card embedded with a contactless chip (LF, HF), which is then encapsulated into the wristband by ultrasonice plastic welding. The wristband is highly waterproof and harsh resistant. The product is widely applied in pools, waterparks, spas and other RFID access control applications where a water bracelet is required.



Key Features

Material: Environmentally friendly silicone

Waterproof of IP 67, IP68

Ultrasonic plastic welding, highly waterproof & harsh Resistant Operating Temperature - 25 to 70 degrees

STC-XY-WD-1000 (model and thickness number)

Outer diameter: 61mm Inner Diameter: 53mm Thickness: 4mm
Outer diameter: 67mm Inner Diameter: 59mm Thickness: 4mm
Outer diameter: 75mm Inner Diameter: 63.5mm Thickness: 4mm

STC-XY-WD-2000 (model and thickness number)

Outer diameter: 58mm Inner Diameter: 54mm Width: 18mm Thickness: 2mm Outer diameter: 67mm Inner Diameter: 63mm Width: 18mm Thickness: 2mm Outer diameter: 75mm Inner Diameter: 67mm Width: 18mm Thickness: 2mm

STC-XY-WD-3000

Length: 220.05mm Width: 22mm





The wristband is embedded with contactless IC chip (125KHz or 13.35MHz chip) FRID IC's Support: 125KHz RFID: EM4200, EM4305, TK4100, T5557. 13.36MHz RFID: Mifare 1K, Mifare 4K, Mifare Ultralight, Mifare DESFire 4K, ICODE SLI, Tag-it 2048.









STC-XY-WD-4000



Product Classification:

Contactless non-standard full-colour thin card, Coin tag, Epoxy Card

Encapsulation Materials:

PET, PVC, ABS.

Chips Available:

EM4200, EM4305, TK4100, Mifarel S50, Mifares 70, Mifare Ultralight 10, DESFire2K/4K/8K, T12048, I CODE2, Hitag2, Hitag2, T5577, MF1 Plus2K/4K, CET5500.

Application:

Patrol Management Systems, Time and Attendance Management systems, Access Control Systems, School cards, Hotel and many other fields.



Product Classification:

Contactless Key Fobs

Substrate Materials:

PVC, ABS, PU outer covering with embedded chip.

Chips Available:

EM4200, EM4305, TK4100

Application:

Transportation Management, Time and Attendance Management, Access Control Management, School Cards, Telecommunications, Hotel, Entertainment and Leisure industry.

T: 01795-410199

F: 01795-477381

www.primeplasticcards.co.uk

Factory/Bureau: 3 Gateway, Castle Road, Eurolink, Sittingbourne, Kent, ME10 3AG

